Should be used under the advice of a Doctor. Information & guidelines provided here are to help you get better results.

A-RET & ACNE A-RET CONTAINS TRETINOIN IN GEL/CREAM BASE

When used under medical supervision, Tretinoin is regarded to be the most effective comedolytic agent.

Tretinoin unplugs acne follicles and brings acne pimples (comedones) to the surface. This is why acne looks worse in the first few weeks of treatment with Tretinoin.

The cream base is preferred for dry skin and the gels are preferred for oily

A-Ret Gel/Cream should be used strictly under guidance of your Doctor.

Wash face with a mild soap (Acnelak Soap), pat dry with a towel-let face dry for 10 to 15 minutes before applying A-Ret Gel/Cream. Gently squeeze a pea size amount of the gel/cream on your clean fingertip and spread it mildly on the affected area each night before retiring. Excess amount of gel/cream must not be used. Dot not let medication enter into your eyes.

Tretinoin makes the skin more sensitive to sunlight and can cause dryness, redness, tender ness, swelling of the skin and burning sensation. These side effects lessen with time. If the skin becomes too red and dry, decrease the application to every other night or even every third night. Consult your Doctor who may advice you to use lower strength gel/cream or decrease the amount of the gel/cream. First 2 to 3 weeks may cause discomfort due to irritation, which eventually should subside.

Don't self medicate or use any other topical treatment unless and otherwise prescribed by your Doctor. It may take 3 to 4 months before improvement is observed. Exposure to Surilight and Ultra-violet light must be avoided during treatment. If unavoidable, use Sunscreen Lotion (U.V. Dew 15 Plus Lotion).

Not to be used during pregnancy unless advised by your Doctor. A-Ret gel/cream is a potent medicine, which is prescribed not only in Acne Vulgaris & Photoageing but also for certain other skin disorders as well. Your Doctor may prolong the treatment for a long period

Good skin care is extremely important in acne and helping a person recover from acne.

SOME GENERAL INFORMATION

Acne or acne prone skin requires special attention with regard to cosmetics, cleansing and Sun protection.



Foremost among the prophylactic measures is the use of non-comedogenic and non acnegenic cosmetics and the avoidance of agents known to promote acne such as Hair Pomades. Use of greasy/oily cosmetics and picking and fiddling of lesions aggravate acne. Too frequent washing may also aggravate the condition. Wash your face twice daily in the morning and evening.

There is a popular misconception that steaming the face improves acne and complexion. While it is true that brief exposure to moist heat will soften comedones prior to their physical removal, repeated and chronic exposure to moist heat actually aggravates acne and may even lead to a form of tropical acne. Similarly Sunlight/Ultra Violet Light was thought to be beneficial in acne. In fact short exposure to Sunlight may hasten the resolution of inflammatory lesions and suntan can mask the lesions. However, chronic exposure leads to thickening of the Epidermis and follicle, resulting in subsequent aggravation of acne. Photoprotection is an important adjunct for individuals with acne or acne prone skin.

ALWAYS KEEP THE SKIN CLEAN

- Clean face with a mild soap or face wash.
- Style hair so that it does not directly touch the forehead and face.
- Keep items that touch the face and hair directly (such as pillows) clean.
- Do not touch inflamed skin with the fingers.

USE OF COSMETICS

- Use non-greasy cosmetics formulated especially for acne prone skin.
- Do not apply oily foundation thickly as the fine particles will enter and block hair pores.

OTHERS

- Reduce consumption of fatty foods such as fatty meat, nuts, chocolates and cocoa.
- Reduce stress such as that associated with overwork and over exercise.
- All other topical acne agents must be stopped prior to initiating retinoic acid therapy.

Patient compliance is vital in the management of acne as the therapy is long and it takes months to get benefit of treatment.

A-Ret Gel is available in three strengths - 0.025% w/w Tretinoin, 0.05% w/w Tretinoin and 0.1% w/w Tretinoin.

A-Ret Cream is available in strength of 0.025% w/w Tretinoin.

- FOR EXTERNAL USE ONLY
- Store in a cool place.
- Replace cap tightly after use.
- Keep out of the reach of children.
- Not to be used during pregnancy.
- Exposure to Sunlight and Ultra-violet light must be avoided.

Manufactured in India by:

SHALAKS PHARMACEUTICALS PVT. LTD.

12, DLF Industrial Area, Najafgarh Road, New Delhi-110015.

Composition : Tretinoin USP... In a Gel base... Keep out of the reach of children. Avoid contact with eyes, mouth and mucous membranes.0.05% w/w. For application, precautions and contraindications read enclosed leaflet. Exposure to Sunlight and UV fight must be avoided, if unavoidable use Sunscreen lotion. Warning: To be sold by retail on the Prescription of a Registered Medical Practitioner only. **A-Ret Gel** 0.05% 20 g Tretinoin Gel USP A-Ret Gel 0.05% ए-१ेट Batch No. घान संख्या 6745 Do not Freeze Store in a cool place Replace cap tightly after use Mfg. Date जमारन तिथि ALIG.10 Exp. Date समापित तिथि JUL-12 Manufactured in India by FOR EXTERNAL USE ONLY Maximum Retail Price Rs. 53-70 (inclusive of all taxes) अधिकतम फुटकर कीमत (सभी करो सहित) Shalaks Pharmaceuticals Pvt. Ltd. 12, DLF Industrial Area, Not to be used during Pregnancy
Mfg. Lic No. 696
Net Wt. 20 g Najafgarh Road, New Delhi-110015 20 g Tretinoin Gel USP A-Ret Gel 0.05% ए-रैट